



JYOTI
ENTERPRISE



www.jyotienterprisemachinery.com

Center Seal Pouch Making Machine



Optional Attachments


- Edge Guiding System (EPC) on Unwind
- Auto Tension Control System with Load Cell & Particle Brake
- Pneumatic Cooling Station for Cross Seal
- Pneumatic Handle Punch
- Pneumatic Euro Punch
- Pneumatic Hole Punch
- K-Seal Attachments
- Off Center Sealing Attachment
- Pneumatic V Notch

Specifications

Model	Max. web	Max. Pouch	Max. Speed	Connected	Approx.	Dimensions
	Width mm	Size mm	Strokes/min	Load KW	Weight KG	W x L x H mm
JCP-400	830	400 x 600	200	7.0	1500	1600 x 6000 X 1700
JCP-500	1030	500 x 700	200	8.0	1600	1700 x 6000 x 1700
JCP-600	1230	600 x 800	180	9.0	1700	1800 x 6000 x 1700



Hole Punch



V-Notch



Hanger Punch



Standard Pouch



Broad Seal with D Punch



Off Center Sealing



Side Gusset



K Seal

Bottom Seal Bag Making Machine



Optional Attachments

- Handle Punch
- Hole Punch bank
- Twin seal with handle punch
- Twin sealer for vest type bags
- K-seal attachment
- Double line or single line sealing type

Specifications

Model	Max. web	Max. Draw	Max. Speed	Connected	Approx.	Dimensions
	Width mm	Size mm	Strokes/min	Load KW	Weight KG	W x L x H mm
JBS-500	500	500 x 800	200	5.5	700	1300 x 4500 X 1500
JBS-600	600	600 x 900	200	6.5	800	1400 x 4500 x 1500
JBS-800	800	800 x 1000	180	7.5	900	1500 x 4500 x 1500



Standard bottom seal



Handle punch



Multiple Hole punch



Twin seal with
Handle punch

Combine Pouch Making Machine



Optional Attachments

- Edge Guiding System (EPC) on Unwind
- Auto Tension Control System with Load Cell & Particle Brake
- Pneumatic Cooling Station for Cross Seal
- Pneumatic Handle Punch
- Pneumatic Euro Punch
- Pneumatic Hole Punch
- K-Seal Attachments
- Off Center Sealing Attachment
- Pneumatic V Notch

Specifications

Model	Max. web	Max. Pouch	Max. Speed	Connected	Approx.	Dimensions
	Width mm	Size mm	Strokes/min	Load KW	Weight KG	W x L x H mm
JCMP-400	830	400 x 600	200	9.0	2500	1600 x 8500 X 1700
JCMP-500	1030	500 x 700	200	10.5	2600	1700 x 8500 x 1700
JCMP-600	1230	600 x 800	180	11.0	2700	1800 x 8500 x 1700



Hole Punch



V-Notch



Standard Pouch



Broad Seal with D Punch



Side Gusset



K Seal



Hanger Punch



Off Center Sealing



Standard Pouch



Euro Punch

Side Seal Bag Making Machine



Optional Attachments

- Edge Guiding System (EPC) on Unwind
- Bottom Gusseting, Lip Making and Flap making
- Reclosable Tape Applicator
- Double Lip Sealer for Top Inside Fold
- Pneumatic Chicken Bag Attachment (Round Bottom)
- Pneumatic Handle Punch
- Pneumatic Euro (Hanger) Punch
- Pneumatic Hole Punch Bank
- Sheet Folding Device
- Auto Stacker

Specifications

Model	Max. web	Max. Draw	Max. Speed	Connected	Approx.	Dimensions
	Width mm	Size mm	Strokes/min	Load KW	Weight KG	W x L x H mm
JSS-600	600	600 x 500	300	6.0	1500	1400 x 5000 X 2200
JSS-700	700	700 x 500	300	7.0	1600	1500 x 5000 x 2200
JSS-800	800	800 x 500	380	8.0	1700	1600 x 5000 x 2200



Multiple Hole Punch



Round Bottom
Chicken Bag



Handle Punch &
Bottom Gusset



2 Bags From
Tubing



Mixed Weld with
D punch



Dotted sealer for
BOPP Bag



Standard Bag



Wicket Punch



Mixed Weld



Outside Flap with Tape



Double Lip Sealing with
Handle Punch,



Header Seal with hole punch &
outside flap with tape

Three Side Seal Pouch Making Machine



Optional Attachments

- Edge Guiding System (EPC) on Unwind
- Auto Tension Control System with Load Cell & Particle Brake
- Pneumatic Cooling Station for Cross Seal
- Pneumatic Handle Punch
- Pneumatic Euro Punch
- Pneumatic Hole Punch
- Pneumatic Agarbatti Perforation With Programmable Cutting
- Pneumatic V Notch

Specifications

Model	Max. web	Max. Pouch	Max. Speed	Connected	Approx.	Dimensions
	Width mm	Size mm	Strokes/min	Load KW	Weight KG	W x L x H mm
JSP-400	830	400 x 600	200	7.5	1400	1600 x 6000 X 1700
JSP-500	1030	500 x 700	200	8.5	1500	1700 x 6000 x 1700
JSP-600	1230	600 x 800	180	9.5	1600	1800 x 6000 x 1700



Standard Pouch



V Notch



Euro Punch



Hole Punch




Features

- High Speed up to 200 Strokes/min
- Converts both Centre Seal and Three Side Seal Pouches
- Servo Motor for Indexing & Accuracy
- Microprocessor Controlled with Digital Display
- Keypad Setting for Speed, Size & Count
- Continuous Forming/Folding, Sealing & Feeding
- One Set Mechanically Reciprocating Cross Sealing Jaws

Our Product Range

- High-Speed Side Seal Bag Making Machine
- Bottom Seal Bag Making Machine
- Courier Bag Making Machine
- Center Seal Pouch Making Machine
- Three Side Seal Pouch Making Machine
- Combine Pouch Making Machine
- Stand Up & Zipper Pouch Making Machine



JYOTI ENTERPRISE

Shed no.11/12 G-505/5 Gidc lodhika, kishan Gate, Kalawad Rd,
Metoda, Rajkot, Gujarat 360035. **Cell : +91 98240 43707**
sales@jyotienterprisemachinery.com | info@jyotienterprisemachinery.com